



▶▶ 2024

NEW PRODUCTS  
MARSROCK



1280WH  
2560WH  
5120WH

## Portable Power Station Lithium Generator



### ▶ Product Specifications

<b>Battery Type</b>	Grade A LiFePO4 Battery			
<b>Rated Power</b>	1500W	2400W	3000W	5000W
<b>Peak Power</b>	3000W	4800W	6000W	10000W
<b>Rated Capacity</b>	1280Wh	2560Wh	2560Wh	5120Wh
<b>Battery Pack Parameter</b>	25Ah,51.2V	50Ah,51.2V	50Ah,51.2V	100Ah,51.2V
<b>Battery Type</b>	Grade A LiFePO4 Battery(2000 cycles)			
<b>AC Output</b>	100V/110V/120V/220V/230V*5%(Adjustable Voltage)			
<b>Output Waveform</b>	Pure Sine Wave			
<b>USB-A1+USB-A2 Output</b>	QC18W(QC3.0/QC2.0/AFC/FCP/BC1.2/APPLE)			
<b>USB-A3+USB-A4 Output</b>	QC18W(QC3.0/QC2.0/AFC/FCP/BC1.2/APPLE)			
<b>2*Type-C1 Output</b>	PD100W(QC3.0/QC2.0/AFC/BC1.2/APPLE)			
<b>4*DC5521 Output</b>	12V/10A			
<b>Solar Panel/DC Charging</b>	10~60V=13A (400W Max)	10~60V=13A (400W Max)	10~60V=22A (800W Max)	120~450V/5000W
<b>AC Charging</b>	90~264V 1200W	90~264V US/JP:1600W Max CN/EU:2000W Max	90~264V US/JP:1600W Max CN/EU:2000W Max	US/JP:90~140V/1600W CN/EU:170~264V/2500W
<b>Charging Temperature</b>	0°C~40°C			
<b>Discharge Temperature</b>	-10°C~45°C			
<b>Weight</b>	18kg	26kg	37.5kg	70kg
<b>Size(mm)</b>	374*265*263	374*265*349	403*310*450	520*405*506

# MARS ROCK

Xiamen, P.R China



Tel: +86 5922237280  
Mob: +86 18059289868  
Web: [www.marsrock.com.cn](http://www.marsrock.com.cn)  
[marsrock@marsrock.com.cn](mailto:marsrock@marsrock.com.cn)